


### Hang-on step for rung ladders

- For rung dimensions 30 x 30 mm.
- For ladders with an internal width of at least 300 mm.
- Rung spacing 280 mm.
- Step width 300 mm.
- Step depth 255 mm.
- Maximum load 150 kg.

<b>EAN code</b>	4019502316751
<b>Order no.</b>	005411

S




### Folding universal ladder step

- Safe standing on the ladder thanks to located over the middle of the rung.
- The fold-up step ensures safe ascent of the ladder.
- For rung dimensions 30 x 30 mm.
- For ladders with an internal width of at least 300 mm.
- Rung spacing 280 mm.
- Step width 260 mm.
- Step depth 250 mm.
- Maximum load 150 kg.

<b>EAN code</b>	4019502316737
<b>Order no.</b>	0050378

S




### Set of foot pins for stiles

- For stiles from 60 to 89 mm.
- 70 mm tip length as legislation
- Adjustable on the stile
- User-fitted without tools.
- Content: 2 pins including fasteners.

<b>EAN code</b>	4019502318977
<b>Order no.</b>	0051222

S



### Set of foot pins for stabiliser

- For stabiliser cross sections 50 x 30 mm and 60 x 25 mm.
- Stable design.
- Swivelling.
- User-fitted by drilling.
- Content: 2 pins including fasteners.

<b>EAN code</b>	4019502318960
<b>Order no.</b>	0050538

S



### Set of foot pins for stabilisers in the SC 60 range with round stabiliser shoe

- Swivelling.
- User-fitted without tools.
- Content: 2 pins including fasteners.

<b>EAN code</b>	4019502342552
<b>Order no.</b>	0053761

S



### Set of swivelling foot pins for telescopic ladders


- User-fitted without tools.
- Content: 2 pins including fasteners.

<b>EAN code</b>	4019502313323
<b>Order no.</b>	0051952

S

## ACCESSORIES

### LADDER HOLDERS, BUCKET HOOKS AND WALL SPACERS




#### Ladder holder set for gutters

- For gutters complying with DIN 18461.
- The ideal, low-cost accessory for absolutely secure fastening of ladders to gutters.
- Can be used on all current ladder models and stile profiles.
- The plastic coating of the clamp protects the gutter against scratches and dents.
- Content: 2 holders including fasteners.

<b>EAN code</b>	4019502319936
<b>Order no.</b>	0051528

S




#### Bucket hook for rung ladders

- Maximum load 25 kg.

<b>EAN code</b>	4019502346291
<b>Order no.</b>	0054008

S




#### Wall spacer for rung ladders

- For rung dimensions 30 x 30 mm.
- For ladders with an internal width of at least 300 mm.
- With safety clip.
- Fixed wall spacing of approx. 40 cm.
- Rung spacing 280 mm.
- Top holder width approx. 680 mm.
- Can be fitted without tools by means of a hook.

<b>EAN code</b>	4019502317055
<b>Order no.</b>	005485

S




#### Telescoping wall spacer for rung ladders

- For rung dimensions 30 x 30 mm.
- For ladders with an internal width of at least 300 mm.
- With safety clip.
- Wall stand-off adjustable from 42 cm to 67 cm.
- Rung spacing 280 mm.
- Top holder width at least 68 cm, maximum 94 cm
- With tool tray
- Depth of tool tray 24 cm.
- Maximum loading of tool tray 15 kg.
- Can be fitted without tools by means of a hook.

<b>EAN code</b>	4019502318984
<b>Order no.</b>	0051248

S



### Twister stabiliser with stepless level adjustment

- Innovative stabiliser system with four-way, rapid and easy adjustment options to ground conditions.
- Level compensation up to 160 mm.
- Feet are individually height adjustable and can thus also be used on uneven ground or on stairs.
- Extra-high floor clearance under the stabiliser for easy access even in difficult positions and on stairs.
- Non-slip, 2 part stabiliser feet which adjust to the ground pitch up to 45°.
- Stabiliser feet with integrated holes for ground hooks.



<b>Stile size approx. mm</b>	66	66	71
<b>Inner width of ladder approx. mm</b>	370	440	370
<b>Stabiliser length approx. mm</b>	780	780	995
<b>EAN code</b>	4019502346376	4019502346406	4019502347076
<b>Order no.</b>	0053682	0053660	0053672
<b>Stile size approx. mm</b>	83	83	89
<b>Inner width of ladder approx. mm</b>	370	440	440
<b>Stabiliser length approx. mm</b>	995	995	1125
<b>EAN code</b>	4019502347083	4019502347069	4019502347090
<b>Order no.</b>	0053676	0053659	0053661

S




### Universal stabiliser for all current leaning, extension and rope operated ladders without swivel feet

- Enhances the stability of the ladder.
- For stile dimensions from 60 mm to 100 mm.
- Level compensation up to approximately 35 cm.
- Stepless adjustment.
- With swivelling steel pins as standard, 70 mm long.
- Stabiliser width approximately 92 cm.
- User-fitted without tools.

<b>EAN code</b>	4019502316744
<b>Order no.</b>	0050766

S



### Stabiliser for ladder section


- For internal ladder width 294 mm, 300 mm, 362 mm, 370 mm, 440 mm and conical ladders.
- Stile dimensions 50 mm to 100 mm.
- Stabiliser tube dimensions 60.4 x 22.0 mm.
- User-fitted using tools.
- Content: 1 stabiliser including fasteners.

<b>Length approx. mm</b>	800	1200
<b>EAN code</b>	4019502345485	4019502345492
<b>Order no.</b>	0054062	0054063


S

# ACCESSORIES

## CLAMP FITTINGS, HANDRAILS AND SWIVEL FEET



Long fitting





Short fitting

### Clamp fittings set for adjusting steps

- For rung leaning ladders with rung dimensions of 30 x 30 mm.
- The upper ladder section is clamped to the lower end of the middle ladder section. This creates a free-standing ladder with extending ladder leg for use on stairs.
- Ensure that there is at least two rungs overlap between support section and front ladder section.
- For ladders with an internal width of at least 300 mm.
- User-fitted without tools.
- Content: 2 sets of clamp fittings including fasteners.

Type	long	short
<b>EAN code</b>	4019502346130	4019502347472
<b>Order no.</b>	0054009	0054489

S



### Handrail

- For retrofitting to ladders with rectangular stiles.
- For stile dimensions from 60 mm to 100 mm.
- Distance between stile and handrail approx. 15 cm.
- Special aluminium tube, Ø 30 mm, with T-slot for variable mounting of the brackets.
- User-fitted by drilling.
- Content: 1 handrail and 2 brackets including fasteners.

Length	approx. m	1.25	2.50
<b>EAN code</b>		4019502327399	4019502327405
<b>Order no.</b>		0051400	0051401

S

Length	approx. m	3.75	5.00
<b>EAN code</b>		4019502327412	4019502327429
<b>Order no.</b>		0051402	0051403




### Handrail for platform stairs 6888 + 6889

- Platform stairs 6888 + 6889 are ready for the handrail to be retrofitted.
- Handrail diameter 30 mm.
- User-fitted using tools.
- Content: 1 handrail including fasteners.

Number of steps	4	5	6
<b>EAN code</b>	4019502340121	4019502340138	4019502340145
<b>Order no.</b>	0052479	0051777	0051778

G

Number of steps	7	8
<b>EAN code</b>	4019502340152	4019502340169
<b>Order no.</b>	0051779	0051780




### Foot extension for rung ladders

- For stile dimensions from 60 mm to 100 mm.
- Adjustment range approximately 60 cm.
- Stepless adjustment.
- User-fitted without tools.
- Content: 1 extension including fasteners.




### Universal foot extension set for free-standing rung ladders 4023+6023

- Robust locking device.
- Numerous possible uses on all stair types.
- Continuously adjustable to 1,000 mm.
- User-fitted without tools.
- Content: 2 extensions including fasteners.




### Foot extension for telescopic ladders

- Adjustment range approximately 45 cm.
- Continuously adjustable from size 4 x 4.
- Restrictions on use for size 4 x 3, i.e. cannot be pushed up. In this case, the foot extension must be removed.
- User-fitted without tools.
- Content: 1 extension including fasteners.



### Foot extension for stabilisers

- For all current rung leaning ladders with stabilisers.
- For stile dimensions from 60 mm to 100 mm.
- For stabiliser cross sections 50 x 30 mm and 60 x 25 mm.
- Can be used with straight and curved stabilisers.
- Adjustment range approximately 45 cm.
- Stepless adjustment.
- A spanner is required for first installation; then can be used without tools.
- Content: 1 extension including fasteners.



### Foot extension for timber rung standalone ladders, 7-1490 and 7-1410

- Self-assembly without tools.
- Content: 1 extension including fasteners.

Stile size	approx. mm	60	66	71
EAN code		4019502316782	4019502316799	4019502316805
Order no.		005550	005551	005552

Stile size	approx. mm	79/83	89	100
EAN code		4019502316812	4019502316843	4019502316829
Order no.		005553	0050149	005554

Stile size	approx. mm	60x24
Adjustment range	approx. mm	1000
EAN code		4019502316850
Order no.		0050376

EAN code	4019502316874
Order no.	0050302

Holmgröße	ca. mm	60–100
EAN-Code		4019502326408
Best.-Nr.		005650

EAN code	4019502347496
Order no.	0079640

S


S

S

S

# ACCESSORIES

## WALL PROTECTORS, WALL WHEELS, RUBBER PADS AND HOOKS




### Pair of wall protectors

- To protect surfaces.

EAN code	4019502342378
Order no.	008945

S




### Set of wall wheels

- For stile dimensions from 60 mm to 100 mm.
- User-fitted by drilling.
- Content: 2 wheels including fasteners.

Roller diameter	approx. mm	
	90	100
EAN code	4019502345348	4019502346284
Order no.	0054010	0054011

S



### Rubber pad set for rung ladders and stepladders

- For stile dimensions from 60 mm to 100 mm.
- Protects susceptible surfaces.
- Reduces the risk of slipping.
- User-fitted by drilling.
- Content: 2 pads including fasteners.

EAN code	4019502345508
Order no.	0054012

S





### Suspension hook set

- For SC40/SC60/SC80 rung leaning ladders with stile dimensions from 60 mm to 83 mm.
- For SC60/SC80 stepladders (6012+8012 are prepared for retrofitting hooks).
- Galvanized steel.
- User-fitted using tools.
- Content: 2 hooks including fasteners.

Hook size	approx. mm		
	30	60	100
EAN code	4019502345355	4019502345362	4019502345379
Order no.	0054013	0054014	0054015

S




### Flat hook set

- For SC40/SC60/SC80 rung leaning ladders with stile dimensions from 60 mm to 83 mm.
- For SC60/SC80 stepladders (6012+8012 are prepared for retrofitting hooks).
- Galvanized steel.
- User-fitted using tools.
- Content: 2 hooks including fasteners.

Clear width	approx. mm		
	60	100	150
EAN code	4019502345386	4019502345393	4019502345409
Order no.	0054016	0054017	0054018

S



### Ledge rest set

- For SC40/SC60/SC80 rung leaning ladders with stile dimensions from 60 mm to 83 mm.
- For SC60/SC80 stepladders (6012+8012 are prepared for retrofitting hooks).
- Galvanized steel.
- Length 100 mm.
- User-fitted using tools.
- Content: 2 hooks including fasteners.

EAN code	4019502345416
Order no.	0054019

S

# ACCESSORIES

## BAGS, SPRING CASTORS AND BRACES



### Bag for aluminium ladders

- For rung dimensions 30 x 30 mm.
- Made from high-quality cotton.
- Bag closed at the sides.
- User-fitted using hook-and-loop fastener.
- Content: 1 bag.

<b>EAN code</b>	4019502345317
<b>Order no.</b>	0054030

S



### Bag for wooden ladders

- Made from high-quality cotton.
- Bag closed at the sides.
- User-fitted using tools.
- Content: 1 bag including fasteners.

<b>EAN code</b>	4019502345324
<b>Order no.</b>	0054031

S




### Set of spring loaded castors, self-locking

- On 8024+8026 only in conjunction with rigid braces.
- Rigid braces on product as standard in the 8080
- Castor diameter 50 mm.
- User-fitted by drilling and using tools.
- Content: 2 wheels including fasteners.

Spring-loaded castor type	fixed on the stile	swivelling on the stile
<b>EAN code</b>	4019502345805	4019502345812
<b>Order no.</b>	0054026	0054027

S

Spring-loaded castor type	fixed on support section	swivelling on support section
<b>EAN code</b>	4019502345829	4019502345836
<b>Order no.</b>	0054028	0054029



### Rigid brace set, detachable for 8024+8026

- User-fitted by drilling and using tools.
- Content: 2 braces including fasteners.

For types	8024	8024	8024	8024
<b>Number of steps</b>	2x2	2x3	2x4+2x5	2x6+2x7
<b>Length approx. mm</b>	259	363	550	709
<b>EAN code</b>	4019502345843	4019502345850	4019502345867	4019502345874
<b>Order no.</b>	0054020	0054021	0054022	54023

S

For types	8024	8024
<b>Number of steps</b>	2x8+2x9+2x10	2x12
<b>Length approx. mm</b>	1009	1329
<b>EAN code</b>	4019502345881	4019502345898
<b>Order no.</b>	0054024	0054025

For types	8026	8026	8026	8026
<b>Number of steps</b>	4+5	6+7	8+10	12+14
<b>Length approx. mm</b>	550	709	1009	1329
<b>EAN code</b>	4019502345867	4019502345874	4019502345881	4019502345898
<b>Order no.</b>	0054022	0054023	0054024	0054025

# ACCESSORIES

## HOOK SET, PLATFORM, HOOKS




### Suspension set for 8086

- For stepless height adjustment of the hooks
- Adjustment range approx. 400 cm.
- User-fitted using tools.
- Content: 2 profiles including fasteners.

<b>EAN code</b>	4019502340084
<b>Order no.</b>	0053433

S



### Platform for 4043

- Use on multipurpose ladder 4043/4x3 in tower configuration.
- Robust, non-slip platform made from plywood panels
- Dimensions of standing area 1.43 x 0.29 m.
- Maximum loading 150 kg.
- Occupies little space in transport.
- User-fitted without tools, simply clicks on
- Content: 2 platform parts including fasteners.

<b>EAN code</b>	4019502330696
<b>Order no.</b>	0079639

S



### Pair of hooks for 6030 folding step

- Plastic hooks for hanging steps.
- User assembled.
- Content: 2 hooks including fasteners.

<b>EAN code</b>	4019502345799
<b>Order no.</b>	0051376

S

# ACCESSORIES

## WALLPAPERING TABLE EXTENSION AND ASSEMBLY PLATFORM



### Wallpapering table widening extension for 6850+6851

- 20 cm wide, i.e. the 60 cm table becomes 80 cm wide and the 80 cm table becomes 100 cm wide.
- User-fitted with wing nuts and without tools.
- Content: 1 extension including fasteners.

Length	approx. m	3.05
Width	approx. mm	200
Weight	approx. kg	5.5
EAN code		4019502314467
Order no.		685200

G




### Assembly platform extension set for 6864

- For ladder stile dimension 60 mm.
- Adjustment range approx. 25 cm.
- Stepless adjustment.
- User-fitted without tools.
- Content: 2 extensions including fasteners.

Weight	approx. kg	1.0
EAN code		4019502314023
Order no.		0051856

G




### Set of swivel feet with non-slip rubber finish

- For stile dimensions from 60 mm to 100 mm.
- User-fitted by drilling.
- Content: 2 swivel feet including fasteners.

EAN code		4019502314290
Order no.		0052054

S




### Ladder shoe for timber rung freestanding ladders 7-1490 and 7-1410

- Self-assembly without tools.

EAN code		4019502347489
Order no.		007855

S

# ACCESSORIES FOR ROOF LADDERS



### Connecting plates to connect the ladder sections

– Content: 2 plates including bolts.

<b>EAN code</b>	4019502313255
<b>Order no.</b>	005907

S



### Roof hook for slate, galvanized

– The roof hooks may only be fastened to rafters or equivalent loadbearing roof elements.  
– Including fixing nails.

<b>EAN code</b>	4019502314030
<b>Order no.</b>	008923

S



### Roof hooks for tiles and pantiles

– The roof hooks may only be fastened to rafters or equivalent loadbearing roof elements.  
– Including fixing nails.

Colour	galvanized	brick red	sepia brown
<b>EAN code</b>	4019502314283	4019502343276	4019502313248
<b>Order no.</b>	008924	008925	008926

S

Colour	anthracite	red brown
<b>EAN code</b>	4019502326064	4019502335233
<b>Order no.</b>	008919	008918



### Roof hook for plain tiles

– The roof hooks may only be fastened to rafters or equivalent loadbearing roof elements.  
– Including fixing nails.

Colour	galvanized	brick red
<b>EAN code</b>	4019502345904	4019502345911
<b>Order no.</b>	008949	008950

S




### Anti-leverage lock

<b>EAN code</b>	4019502336315
<b>Order no.</b>	008940

S

# SPARE PARTS

## LADDER FEET, LADDER SHOES AND STABILISER SHOES




### Ladder foot set

- User-fitted using tools.
- Content: 2 feet including fasteners.

Stile size	approx. mm	45	60	66
<b>EAN code</b>		4019502345980	4019502345997	4019502342569
<b>Order no.</b>		0053473	0053474	0053475
<b>Stile size</b>	<b>approx. mm</b>	71	79	83
<b>EAN code</b>		4019502346000	4019502346017	4019502346024
<b>Order no.</b>		0053477	0053478	0053479
<b>Stile size</b>	<b>approx. mm</b>	89	100	
<b>EAN code</b>		4019502346031	4019502346048	
<b>Order no.</b>		0053480	0053481	

S




### Ladder shoe set for telescopic ladders 4042+8042 and predecessor model 3042

- User-fitted using tools.
- Content: 1 left shoe and 1 right shoe including fasteners.

<b>EAN code</b>	4019502345973
<b>Order no.</b>	0053486

S




### Ladder shoe set for step ladders 6012+6024+6025+6026

- User-fitted using tools.
- Content: 1 left shoe and 1 right shoe including fasteners.

<b>EAN code</b>	4019502345966
<b>Order no.</b>	0053487

S




### Ladder shoe set for step ladders 6612+6624+6625+6626

- User-fitted using tools.
- Content: 1 left shoe and 1 right shoe including fasteners.

<b>EAN code</b>	4019502345249
<b>Order no.</b>	0053503

S



### Stabiliser shoe set for 4043+4045+4047 +5017+6041+6045+6047+6147 and predecessor models 3041+3147

- User-fitted using tools.
- Content: 2 shoes including fasteners.

for stabiliser	approx. mm	60x22	49x30	60x30
<b>EAN code</b>		4019502345928	4019502345935	4019502345942
<b>Order no.</b>		0053483	0053484	0053485

S




### Round stabiliser shoe set

- User-fitted using tools.
- Content: 2 shoes including fasteners.

<b>for stabiliser</b>	<b>approx. mm</b>	60x22
<b>EAN code</b>		4019502345959
<b>Order no.</b>		0053482

S



### Hinge for combination ladders

Stile size	approx. mm	60x24	66x24	70x24	79x24	83x24	89x24
<b>3045 2-section</b>		2x6+2x7+2x8	2x10	2x12		2x14	2x16
<b>3047 3-section to Nov. 2007</b>		3x6	3x7	3x8	3x9	3x10	3x12+3x14
<b>3047 3-section from Dez. 2007</b>		3x6	3x7	3x8		3x9+3x10	3x12+3x14
<b>6045 2-section</b>		2x6+2x8	2x10	2x12		2x14	
<b>6047 3-section</b>		3x6	3x7	3x8		3x9+3x10	3x12+3x14
<b>EAN code</b>		4019502319585	4019502326316	4019502326293	4019502326323	4019502326309	4019502326330
<b>Order no.</b>		002906	002913	002907	002921	002911	002924


S



### Hinge/hinge plate for combination ladders

Stile size	approx. mm	60x24	66x24	70x24	83x24	89x24
<b>4045 2-section</b>		2x8	2x10	2x12		
<b>4047 3-section</b>			3x7	3x8	3x9+3x10+3x11	3x12+3x14
<b>EAN code</b>		4019502346055	4019502346383	4019502346079		
<b>Order no. hinge plate right</b>		0051499	0051501	0050875		
<b>EAN code</b>		4019502346086	4019502346062	4019502346093		
<b>Best.-Nr. hinge plate left</b>		0051498	0051500	0050874		
<b>EAN code</b>					4019502326309	4019502326330
<b>Order no. hinge piece</b>					002911	002924


S



### Steel fitting at top for rope-operated ladders, 2-section and 3-section

If required, please specify:


- ladder type
- number of rungs
- internal width of ladder
- stile cross-section
- year of manufacture



### Steel fitting at top for rope-operated combination ladders

If required, please specify:

- ladder type
- number of rungs
- internal width of ladder
- stile cross-section
- year of manufacture




### Steel fitting at top for combination and extension ladders without rope-pull

If required, please specify:

- ladder type
- number of rungs
- internal width of ladder
- stile cross-section
- year of manufacture

# SPARE PARTS

## FALL HOOKS, BRACES, S-HOOKS AND STABILISERS




### Fall hook for rope-operated ladders

– Content: 1 fall hook including fasteners.

For ladder type	2051			3051	3261	3261
	4051	4061	4061	6051	6261	6261
				8051	8061	8061
For ladder section		Bottom section	Middle section		Bottom section	Middle section
EAN code	4019502346093	4019502346109	4019502346093	4019502346116	4019502346123	4019502346116
Order no.	0054096	0054097	0054096	0054098	0054099	0054098

S




### Rigid safety bar for combination ladders

– Content: 1 brace including fasteners.

For ladder type	4047/3x7+3x8	2047/3x8+3x10	4047/3x11	3047/3x12+3x14
		3047/3x7+3x8+3x9+3x10		4047/3x12+3x14
		4047/3x9+3x10		6047/3x12+3x14
		6047/3x7+3x8+3x9+3x10		2047/3x12+3x14
Length approx. mm	gewinkelt	528	913	1307
EAN code	4019502346413	4019502346420	4019502346437	4019502346444
Order no.	0054084	0054085	0054086	0054089

S



### S-hook set for extension and combination ladders

– User fitted.  
– Content: 1 S-hook with safety lock and 1 S-hook without safety lock including fasteners.

EAN code	4019502346147
Order no.	0054049

S



### Stabiliser bar (foot widener) for combination and multipurpose ladders


– User-fitted using tools.  
– Content: 1 stabiliser including fasteners.

is used for	4043/4x3	4043/4x4	4043/4x5	4045/2x8
	2043/4x3	2043/4x4	3043/4x5	2045/2x8
	3041/2x5+2x6	3041/2x7+2x8		3045/2x6+2x7+2x8
	3043/4x3	3043/4x4		
Stabiliser length approx. mm	680	810	990	712
stile size approx. mm	60	60	60	60
EAN code	4019502346154	4019502346161	4019502346178	4019502346185
Order no.	0053476	0053498	0053499	0053501
is used for	4045/2x10+2x12	4047/3x7-3x12	4047/3x14	2045/2x14
	2045/2x10+2x12	2047/3x8	2047/3x10+3x12+3x14	3045/2x14+2x16
	3045/2x10+2x12	3047/3x6+3x7+3x8	3047/3x9+3x10	
			+3x12+3x14	
Stabiliser length approx. mm	909	950	1062	1062
stile size approx. mm	66/71	60/66/71	83/89	83/89
EAN code	4019502346192	4019502346208	4019502346215	4019502346222
Order no.	0053502	0053651	0054064	0053704

S

# SPARE PARTS

## SPREADER BRACE FUNCTION, NYLON ROPE, ROPE PULLEY BRACKET, HINGES, RUNG COVERS AND SPARE PARTS FOR TELESTEG



### Safety strap

If required, please specify:

- Ladder type.
- Number of rungs.
- Stile cross-section.
- Year of manufacture.



### Nylon rope

If required, please specify:

- Ladder type.
- Number of rungs.
- Internal width of ladder.
- Stile cross-section.
- Year of manufacture.



### Rope pulley bracket set for rope operated ladders 4051+4061+6051+6147+6261+8051+8061

- For rungs 30 x 30 mm.
- Rope pulley, 70 mm diameter.

EAN code	4019502345300
Order no.	0054048

S



### Pair of hinges for rung leaning ladders 4023+6023

- Content: 2 hinge pairs including fasteners.

Stile size	approx. mm	60	71
EAN code		4019502345287	4019502345294
Order no.		0054045	0054046

S



### Rung cover set for telescopic ladders 4042+6042+8042+8044

- Content: 2 covers for rungs with locking device and 10 covers for rungs without locking device.

EAN code	4019502343016
Order no.	0054047

S




### Cotter pin set for Telesteg 6859

- Content: 2 cotter pins.

EAN code	4019502346239
Order no.	0053500

G




### Hook locking set for Telesteg 6859

- Content: 1 latch hook and 1 spring.

EAN code	4019502346246
Order no.	0053758

G



### Telescoping locking set for Telesteg 6859

- Content: 1 catch and 1 spring.

EAN code	4019502345270
Order no.	0054044

G

# SPARE PARTS

## REPAIR SETS AND SPARE PART SETS



**Platform lifter repair set  
for 4026+6026**

<b>EAN code</b>	4019502343535
<b>Order no.</b>	0053991

**S**



**Rigid safety bar repair set for 8083+8084**

<b>EAN code</b>	4019502343542
<b>Order no.</b>	0054007

**S**



**Socket repair set for 8083+8084**

<b>EAN code</b>	4019502343214
<b>Order no.</b>	0053988


**S**



**Repair set for safety guardrail  
709029+709529 for  
ADVANCED SAFE-T scaffolds**

<b>EAN code</b>	4019502346833
<b>Order no.</b>	0054404

**G**



**Spare parts set  
Handle + rubber closure for  
wallpapering table**

– Content: 1 handle + 1 rubber closure  
including fasteners.

<b>EAN code</b>	4019502346253
<b>Order no.</b>	0054100

**G**



**Spare parts set  
Hinged supports for wallpapering table**

– Content: 2 hinged supports top and bottom and  
2 sliding sleeves including fasteners.

<b>EAN code</b>	4019502346260
<b>Order no.</b>	0054101

**G**



**Coupling spare parts set  
for scaffold diagonals and guardrails**

– Content: 2 coupling halves, 1 spring and 1 latch  
including fasteners.

<b>EAN code</b>	4019502346307
<b>Order no.</b>	0054102

**G**



**Spare parts set, star grip for foot extension**

– Content: 1 star grip nut and 1 thrust piece  
including fasteners.

<b>EAN code</b>	4019502346277
<b>Order no.</b>	0054103

**S**



**Spare parts set for castor with spindle**

– Content: 1 plug and 1 socket.

<b>EAN code</b>	4019502346314
<b>Order no.</b>	0054104

**G**